

L Number	Hits	Search Text	DB	Time stamp
1	1	((send\$3 or transmit\$6 or transfer\$3 or dispatch\$3) with command\$3 with updat\$3 near2(id or identif\$6).ab.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/24 10:20
2	123	((send\$3 or transmit\$6 or transfer\$3 or dispatch\$3) with updat\$3 near2(id or identif\$6).ab.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/24 09:43
3	123	((send\$3 or transmit\$6 or transfer\$3 or dispatch\$3) with updat\$3 near2(id or identif\$6)).ab.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/24 09:43
4	21	((send\$3 or transmit\$6 or transfer\$3 or dispatch\$3) with updat\$3 near2(id or identif\$6) with message\$1).ab.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/24 09:49
5	24	((send\$3 or transmit\$6 or transfer\$3 or dispatch\$3) with updat\$3 with ((command or manager\$1 or control\$6) near2 (id or identif\$6))).ab.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/24 10:03
6	196	((send\$3 or transmit\$6 or transfer\$3 or dispatch\$3) with ((command or manager\$1 or control\$6) near2 (id or identif\$6))same message\$1).ab.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/24 10:03
7	148	((send\$3 or transmit\$6 or transfer\$3 or dispatch\$3) with ((command or manager\$1 or control\$6) near2 (id or identif\$6))with message\$1).ab.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/24 10:03
8	3	((send\$3 or transmit\$6 or transfer\$3 or dispatch\$3) with ((command or manager\$1 or control\$6) near2 (id or identif\$6)) with message\$1 with (updat\$3 or modif\$3 or amend\$3)).ab.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/24 10:06
9	8	((command or manager\$1 or control\$6) near2 (id or identif\$6)) with message\$1 with (updat\$3 or modif\$3 or amend\$3)).ab.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/24 10:27
10	74	((command or manager\$1 or control\$6) near2 (id or identif\$6)) with message\$1 with (updat\$3 or modif\$3 or amend\$3))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/24 10:26
11	6	((command or manager\$1 or control\$6) near2 (id or identif\$6)) with message\$1 with (updat\$3 or modif\$3 or amend\$3) with (database\$1 or version\$1))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/24 10:17
12	74	((command or manager\$1 or control\$6) near2 (id or identif\$6)) with message\$1 with (updat\$3 or modif\$3 or amend\$3))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/24 10:19
13	21	((send\$3 or transmit\$6 or transfer\$3 or dispatch\$3) with command\$3 with updat\$3 near2(id or identif\$6))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/24 10:20
14	389	((command or manager\$1 or control\$6) near2 (id or identif\$6)) with message\$1).ab.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/24 10:26

15	64	((command or manager\$1 or control\$6) near2 (id or identif\$6)) with message\$1).ti.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/02/24 10:36
16	77388	(updat\$3 or modif\$3 or chang\$3) with (version\$3 or database\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/02/24 10:28
17	10	(((command or manager\$1 or control\$6) near2 (id or identif\$6)) with message\$1).ab.) & ((updat\$3 or modif\$3 or chang\$3) with (version\$3 or database\$1))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/02/24 10:28
18	18428	(control with message).ab.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/02/24 10:36
19	388	((control near3 message)with (id or identif\$6)).ab.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/02/24 10:37
20	3	((control near3 message\$1)with (id or identif\$6) & enterprise).ab.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/02/24 10:38
21	251	((control near message\$1)with (id or identif\$6)).ab.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/02/24 10:39
22	32	((control near message\$1)with (id or identif\$6)).ti.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/02/24 10:41
23	17	((control near message\$1)with (id or identif\$6) with access\$3).ab.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/02/24 10:45
24	205	((message\$1)with (id or identif\$6) with (access\$3 with control\$6 or manager\$1)).ab.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/02/24 10:45
25	111	((message\$1)with (id or identif\$6) with access\$3 with (control\$6 or manager\$1)).ab.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/02/24 10:45
26	76594	(updat\$3 or modif\$6 or chang\$3) with (database or version\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/02/24 10:46
27	2	(((message\$1)with (id or identif\$6) with access\$3 with (control\$6 or manager\$1)).ab.) & ((updat\$3 or modif\$6 or chang\$3) with (database or version\$1))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/02/24 10:47
28	2	(5,493,671).pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/02/24 10:55

29	561	(message\$3 with (id or idetif\$3)with (manager or command or control\$6 or access\$6)).ab.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/24 10:57
30	93	(message\$3 with ((id or idetif\$3) near2 (manager or command or control\$6 or access\$6))).ab.	USPÄT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/24 11:02
31	0	((update near message\$3) with ((id or idetif\$3) near2 (manager or command or control\$6 or access\$6))).ab.	USPÄT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/24 11:02
32	1	((update near message\$3) with (id or idetif\$3)).ab.	USPÄT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/24 11:03
33	110	((update near message\$3) with (id or idetif\$3))	USPÄT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/24 11:04
34	3112	((update near message\$3))	USPÄT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/24 11:03
35	332	((update near message\$3)).ab.	USPÄT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/24 11:03
36	1	((update near message\$3) with control\$3 with access\$3).ab.	USPÄT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/24 11:04
37	0	((update near message\$3) with (id or idetif\$3) same enterprise)	USPÄT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/24 11:05
38	16	((update near message\$3) with (id or idetif\$3) same (version\$1 or database\$1))	USPÄT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/24 11:07
39	1	(updat\$3 with message\$1 with (id or idetif\$3) same (version\$1 or database\$1)).ab.	USPÄT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/24 11:10
40	141	(updat\$3 with (id or idetif\$3) same (version\$1 or database\$1)).ab.	USPÄT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/24 11:09
41	764	(719/313,314,315).CCLS.	USPÄT	2004/02/24 11:10
42	0	((updat\$3 with (id or idetif\$3) same (version\$1 or database\$1)).ab.) & ((719/313,314,315).CCLS.)	USPAT	2004/02/24 11:11
43	110	(updat\$3 with message\$1 with (id or idetif\$3) same (version\$1 or database\$1))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/24 11:10

44	0	((updat\$3 with (id or idetif\$3) same (version\$1 or database\$1)).ab.) & ((updat\$3 with (id or idetif\$3) same (version\$1 or database\$1)).ab.) & ((719/313,314,315).CCLS.))	USPAT	2004/02/24 11:11
-	1	("6438112").pn.	USPAT	2004/02/23 12:29
-	0	" method and apparatus for the distribution of data constructs, such as object-oriented "	USPAT	2004/02/23 12:33
-	0	(method near2 apparatus near2 the distribution near2 data near2 constructs near3 object-oriented).ti.	USPAT	2004/02/23 12:35
-	0	(method near2 apparatus near2 the distribution near2 data near2 constructs).ti.	USPAT	2004/02/23 12:34
-	0	(method near2 apparatus near2 the distribution near2 data near2 constructs).ab.	USPAT	2004/02/23 12:34
-	0	(method near2 apparatus near2 the distribution near2 data near2 constructs near3 object-oriented).ti.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/23 12:35
-	2	(5,493,671).pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/23 13:30
-	212	(distribut\$3 with chang\$3 with manag\$6).ab.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/23 13:32
-	8	(distribut\$3 with chang\$3 with messag\$3 with manag\$6).ab.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/23 14:09
-	0	(distribut\$3 with updat\$3 with messag\$3 with servion\$1).ab.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/23 14:09
-	0	(distribut\$3 with updat\$3 with messag\$3 with servion\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/23 14:09
-	8	(distribut\$3 with updat\$3 with messag\$3 with manag\$6).ab.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/23 14:10
-	823917	(d updat\$3 with messag\$3 same version\$1).ab.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/23 14:11
-	52	(updat\$3 with messag\$3 same version\$1).ab.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/23 14:46
-	9	((id or identif\$6) same updat\$3 with messag\$3 same version\$1).ab.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/23 14:48

-	24494	(distribuT\$3 with (updat\$3 or modif\$3 or chang\$3)).ab.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/23 14:49
-	24494	(distribuT\$3 with (updat\$3 or modif\$3 or chang\$3)).ab.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/23 14:50
-	127	(distribuT\$3 with (updat\$3 or modif\$3 or chang\$3) same version\$3).ab.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/23 14:51
-	1	(distribuT\$3 with (updat\$3 or modif\$3 or chang\$3) with (message or command\$3) same version\$3).ab.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/23 14:51
-	160	((updat\$3 or modif\$3 or chang\$3) with (message or command\$3) same version\$3).ab.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/23 14:52
-	109	((updat\$3 or modif\$3 or chang\$3) with (message or command\$3)with version\$3).ab.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/23 14:52
-	2226277	((updat\$3 or modif\$3 or chang\$3)near\$4 (message or command\$3)with version\$3).ab.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/23 14:52
-	2226326	((updat\$3 or modif\$3 or chang\$3) near\$5 (message or command\$3)with version\$3).ab.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/23 14:53
-	2205997	((updat\$3 or modif\$3 or chang\$3) near\$2 (message or command\$3) with version\$3).ab.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/23 14:54
-	71	((updat\$3 or modif\$3 or chang\$3) near5 (message or command\$3) with version\$3).ab.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/23 14:54
-	36	((updat\$3 or modif\$3 or chang\$3) near2(message or command\$3) with version\$3).ab.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/23 15:00
-	0	(((id or identif\$3)with (manag\$3 or control\$6))with message same (updat\$3 or modif\$3 or chang\$3) with version\$3).ab.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/23 15:02
-	27	(((id or identif\$3)with (manag\$3 or control\$6)) same (updat\$3 or modif\$3 or chang\$3) with version\$3).ab.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/23 15:02
-	0	(distribuT\$3 with ((id or identif\$3)with (manag\$3 or control\$6)) same (updat\$3 or modif\$3 or chang\$3) with version\$3).ab.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/23 15:03

-	31	(((id or identif\$3)with (manag\$3 or control\$6)) with (message or command\$3)same (updat\$3 or modif\$3 or chang\$3) with version\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/23 15:21
-	4	((updat\$3 or modif\$3 or chang\$3) with version\$3 same message with program near2 (id or identif\$3))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/23 15:30
-	56	((updat\$3 or modif\$3 or chang\$3) same message with program near2 (id or identif\$3))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/23 15:31
-	29	((updat\$3 or modif\$3 or chang\$3) with message with program near2 (id or identif\$3))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/23 15:49
-	3841	((updat\$3 or modif\$3 or chang\$3) with version\$1).ab.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/23 15:49
-	441	(message with program near2 (id or identif\$3))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/23 15:49
-	562	(message with program\$3 near2 (id or identif\$3))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/23 15:49
-	441	((message with program near2 (id or identif\$3))) & ((message with program\$3 near2 (id or identif\$3)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/23 15:50
-	646	(message\$1 with program\$3 near2 (id or identif\$3))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/23 15:49
-	77	(message\$1 with program\$3 near2 (id or identif\$3)).ab.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/23 15:54
-	0	(((updat\$3 or modif\$3 or chang\$3) with version\$1).ab.) & ((message\$1 with program\$3 near2 (id or identif\$3)).ab.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/23 15:50
-	0	(((updat\$3 or modif\$3 or chang\$3) with version\$1).ab.) & ((message\$1 with program\$3 near2 (id or identif\$3)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/23 15:52
-	646	(message\$1 with program\$3 near2 (id or identif\$3))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/23 15:51
-	7905	(message\$1 with (id or identif\$3)).ab.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/23 15:52

-	5	(((updat\$3 or modif\$3 or chang\$3) with version\$1).ab.) & ((message\$1 with (id or identif\$3)).ab.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/02/23 15:53
-	6	(message\$1 with program\$3 near2 (id or identif\$3) & updat\$3).ab.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/02/23 16:00
-	2610	(message\$1 with updat\$3).ab.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/02/23 16:00
-	34	(message\$1 with updat\$3 with version\$1).ab.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/02/23 16:26
-	49	(message\$1 with updat\$3 same version\$1).ab.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/02/23 16:26
-	88	(message\$1 with (updat\$3 or modif\$3 or chang\$3) same version\$1).ab.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/02/23 16:34
-	2508	(message\$1 with (function or program\$6 or command)near3 (id or identif\$3))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/02/23 16:39
-	2	((message\$1 with (updat\$3 or modif\$3 or chang\$3) same version\$1).ab.) & ((message\$1 with (function or program\$6 or command)near3 (id or identif\$3)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/02/23 16:35
-	1364	(message\$1 with (updat\$3 or modif\$3 or chang\$3) same version\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/02/23 16:34
-	81	((message\$1 with (updat\$3 or modif\$3 or chang\$3) same version\$1)) & ((message\$1 with (function or program\$6 or command)near3 (id or identif\$3)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/02/23 16:36
-	99	(message\$1 with header with (function or program\$6 or command)near3 (id or identif\$3))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/02/23 16:35
-	0	((message\$1 with (updat\$3 or modif\$3 or chang\$3) same version\$1).ab.) & ((message\$1 with header with (function or program\$6 or command)near3 (id or identif\$3)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/02/23 16:35
-	9	((message\$1 with (updat\$3 or modif\$3 or chang\$3) same version\$1)) & ((message\$1 with header with (function or program\$6 or command)near3 (id or identif\$3)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/02/23 16:36
-	35	(message\$1 with (function or program\$6 or command)near3 (id or identif\$3)) same version\$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/02/23 16:41

-	53	(message\$1 with (manag\$3 or control\$6)near3 (id or identif\$3)) same version\$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/23 16:41
-	1395	((message\$1 with (manag\$3 or control\$6) with (id or identif\$3))).ab.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/23 16:42
-	258	((message\$1 with (manag\$3 or control\$6)near2 (id or identif\$3))).ab.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/23 16:42
-	22	((message\$1 with (manag\$3 or control\$6)near2 (id or identif\$3)) same (updat\$3 or modif\$3)).ab.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/23 17:03
-	3	((manag\$3 or control\$6)near2 (id or identif\$3) same (updat\$3 or modif\$3) with version\$3).ab.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/23 16:58
-	8	(global with (updat\$3 or modif\$3) with version\$3).ab.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/23 16:58
-	26	((request\$3 with (manag\$3 or control\$6)near2 (id or identif\$3)) same (updat\$3 or modif\$3)).ab.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/23 17:04
-	1	((request\$3 with (manag\$3 or control\$6)near2 (id or identif\$3)) same (updat\$3 or modif\$3) & version\$1).ab.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/23 17:03
-	11	((request\$3 with (manag\$3 or control\$6)near2 (id or identif\$3)) with (updat\$3 or modif\$3)).ab.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/23 17:06
-	670	(message\$1 with (manag\$3 or control\$6) with (updat\$3 or modif\$3)).ab.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/23 17:07
-	3	(message\$1 with (manag\$3 or control\$6) with (updat\$3 or modif\$3) with version\$1).ab.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/23 17:08
-	48	(message\$1 with (manag\$3 or control\$6) with (updat\$3 or modif\$3) with version\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/23 17:08
-	1	(message\$1 with header with (manag\$3 or control\$6) with (updat\$3 or modif\$3) with version\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/23 17:09
-	22	(message\$1 with header with (updat\$3 or modif\$3) with version\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/23 17:11

-	571	(distribut\$3 with (updat\$3 or modif\$3) with version\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/02/23 17:11
-	65	(distribut\$3 with (updat\$3 or modif\$3) with version\$1).ab.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/02/23 17:16
-	0	((id or identif\$3) with (updat\$3 near4 manager\$1) with version\$1).ab.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/02/23 17:17
-	3	((id or identif\$3) with (updat\$3 near4 manager\$1) with version\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/02/23 17:18
-	9	((id or identif\$3) with (updat\$3 near4 manager\$1) same version\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/02/24 09:40